

Ribble Enviro
...everything gas detection

Data Sheet

sales@ribble-enviro.co.uk

+44(0)1200 445 804

ribble-enviro.co.uk

Unit 4, Business Park, Gisburn, Clitheroe BB7 4JP

Company No: 06140589 VAT No: GB 906 6241 34



Dräger Alcotest 5000 Alcohol Screening Device

The Dräger Alcotest 5000 is a professional breath-alcohol tester which detects the presence of alcohol. The high-speed breathalyser lets you perform numerous tests in no time. All tests are conducted without coming into physical contact with the test subject. The special funnel attachment reduces the back-flow of exhaled air to a minimum, which prevents the risk of possible infections to the next test subjects, making it an extremely hygienic solution.

Dräger Alcotest 5000

Exchangeable funnel
prevents back-flow of expired air

Display
shows test results, warnings and
additional information

OK button
for simple, one-button operation

LEDs
supplement display

Menu buttons
for navigating the device menu

Electrochemical DrägerSensor
for very fast response times and high
durability

3x AA alkaline batteries
for up to 5,000 tests

D-31888-2020

Benefits

Maximum control in minimum time with our fastest ever breathalyser

With the Alcotest 5000, you can test up to 12 people a minute to determine whether they have consumed alcohol or not. Especially for police and private security professionals, testing large numbers of people for intoxication in a short period of time presents a major challenge: for example, during large-scale operations, entrance checks at work sites, and stadiums, entry points to public transport and airport security checks. In the case of a positive test result, exact blood-alcohol levels can be calculated if necessary using Dräger alcohol screeners or court-approved evidential devices.

High-precision rapid alcohol testing with hygienic funnel design

The alcohol test takes place without the need for bodily contact with the test subject. There is no need to attach and detach mouthpieces, because testing requires the subjects simply to blow into a funnel. With its unique design, this special Dräger Alcotest 5000 Hygienic-Flow-Funnel prevents the back-flow of the subject's own expired air and the inhalation of any pathogens from previous test subjects. After use, the funnel attachment is easily exchanged, providing assurance of a hygienic solution.

Alcohol testing with simple operation and convenient oversight

With its easy-to-use, single-button operation via the OK button, the Alcotest 5000 is the latest generation of Dräger's proven, simple-to-operate alcohol testing devices. Using its two additional arrow buttons, you can navigate easily and for example: view the latest test results, reset the test counter, check for the next scheduled calibration date, or set the menu to a different language. The instructions for the test process are language-neutral and easy to understand, thanks to symbols on the display.

Breath-alcohol testing at a distance

Where the tester and the test subject are not adjacent (for example, a driver seated in the cab of a lorry), the Alcotest 5000 features a ¼" thread on the back of the device where a standard selfie stick can be attached. This speeds up the breath-alcohol testing process.

With just one change of batteries, the Alcotest 5000 can perform up to 5,000 tests, whether actively (the test subject actively blows into the funnel attachment) and / or passively (for example, measuring alcohol in ambient air or suspicion of alcohol in beverages).

The Alcotest Hygiene Plus

Hygiene is an increasingly important part of our everyday lives. Dräger Alcotest breath-alcohol detection devices use non-invasive measuring technologies with a high degree of hygiene – for the user as well as the test subject – thanks to the following features:


- Funnel attachment is individually packaged
- Benefits of the replaceable funnel attachment:
 - no body contact with the test subject
 - blocks backflow of the test subject's own exhaled air, which prevents intake of potential pathogens from previous test subjects
- the threaded attachment point on the device attaches to an ordinary selfie stick (sold separately), creating even more space between user and test subject

Benefits

Innovation born out of tradition

With over 65 years of experience, Dräger is the global market leader in the field of breath-alcohol testing. Police in many countries use devices from the Alcotest product series in everyday traffic monitoring. The Alcotest 5000 is made in Germany and meets the highest standards of quality. It uses the same, professional EC sensor technology, ensuring precise test performance and secure results.

Alcotest 5000 Hygienic-Flow-Funnel



D-30474-2017

The special funnel attachment minimises the back-flow of expired air into the test subject's face. This hygienic innovation reduces the risk of infection from one test subject to the next.

Accessories

D-30594-2017



Hygienic-Flow-Funnel

Package unit: 10 pieces, hygienically and individually packaged with air outlets to minimise back-flow of expired air

D-27725-2017



Alcotest 5000 reflector film set

Additional reflector films, available in yellow or orange

D-17895-2017



Alcotest 5000 calibration adapter

Calibration attachment for adjusting and monitoring the Alcotest 5000 with an alcohol simulation device.

D-9486-2014



Energy supply

Alkaline battery (Mignon, LR6, AA, 1.5V)

Related Products

D-32068-2020



Dräger Alcotest 6000

The Dräger Alcotest 6000 allows the professional user to perform a breath alcohol test with speed and precision. The measuring technology of this small and user-friendly portable measuring device has already been proven worldwide and has been sold over 1,000,000 times.

D-22744-2020



Dräger Alcotest 7000

The Dräger Alcotest 7000 sets new standards in alcohol test devices. Its benefits include a wider temperature range, an extended measuring range, low maintenance requirements and various networking options. In addition, the device can perform alcohol tests using either a mouthpiece or a funnel. Reliable alcohol testing has never been so fast, simple and efficient.

ST-15090-2008



Dräger Alcotest 7510

This compact and robust handheld breath alcohol measuring device is especially designed for advanced screening applications. Ideal for use by police, commerce and industry as an alcohol screening device. The Alcotest 7510 can in many countries and markets be used as an evidential device.

D-43786-2015



Dräger Alcotest 9510

The Dräger Alcotest 9510 is an advanced breath alcohol measuring device for applications admissible in a court of law. It is designed to comply with national and international requirements and regulations (OIML R 126, DIN VDE 0405, SR 941.210.4 (CH)). With dual sensor technology, intuitive colour touch screen interface, and modern design the Alcotest 9510 sets the standard.

Related Products

D-2621-2022



Dräger DrugCheck 3000

Use the DrugCheck 3000 to find out within minutes whether a person has recently consumed certain drugs. The compact and quick saliva (oral fluid)-based drug test delivers reliable results affordably and easily. The non-invasive drug test kit does not require electricity and can therefore be used anywhere.

D-54720-2012



DrugTest 5000

No pipetting, no drips, no timing: With the DrugTest 5000, a drug test is carried out simply and quickly. The collected saliva sample can be analysed immediately – for an accurate result on the spot.

Technical Data

Dräger Alcotest 5000

Measuring range	0 to 0.029 mg/l → “Tick mark” symbol on the display screen means “No Alcohol Detected”, visually supported by a green LED. From 0.030 mg/l “X” symbol on the display screen means 'Alcohol Detected', visually supported by a red LED. From 2.5 mg/L → Measuring range exceeded (↑↑↑)
Standard sampling	Sampling starts automatically when the minimum volume or predefined blowing time is reached. Passive sampling can be done with or without a funnel. Sampling can be triggered manually while the test subject blows into the funnel.
Start-up time	Ready to use approx. 4 sec. after switching on
Display of test results	After approx. 2 sec. (at 0 to 0.029 mg/l); after approx. 6 sec. (at e.g. 0.5 mg/l, at room temperature).
Measurement basis	Electrochemical DrägerSensor, alcohol-specific
Display	Graphic LCD display with backlight 32 x 22 mm (128 x 64 pixel)
LEDs	Two-colours, for supporting test results and warning messages on the display
Acoustic signals	Various signal tones for supporting display and warning messages
Memory	Stores the latest 500 test results with test number, date and time
Energy supply	3x AA batteries, charge status shown on display; with the battery life from 3x AA batteries, up to 5,000 tests can be performed.
Funnel intake	Click adapter for funnel
Hygienic-Flow-Funnel	Hygienic, individually packaged with air outlets for minimising back-flow of expired air
Operating design	Test functions are started with the “OK” button; two arrow buttons are used to navigate through the menu.
Calibration	Wet- or dry-gas calibration with the Alcotest 5000 calibration adapter
Exterior	Impact-proof ABS/PC
Dimensions (W x H x D), Weight	Approx. 63 x 219 x 41 mm; approx. 245 g incl. funnel and batteries
Vibration and impact resistance	EN 60068-2-27, EN 60068-2-6; EN 60068-2-64
CE marking	EMC Directive
Standards	Contactless breath-alcohol testing devices are currently not subject to any standards
Internal clock	Warning 30 days before service interval expires
Service interval	24 months
Operating temperature	-15 °C to +50 °C
Air humidity	10 to 100 % relative humidity (not condensed and in operation)
Ambient pressure	600 to 1,300 hPa

Ordering Information

Dräger Alcotest 5000, V1 Languages: en, de, fr, es, nl, it, ca, pt	8327701
Dräger Alcotest 5000, V2 Languages: en, pl, fi, sv, da, no, et, lt, lv	8327702
Dräger Alcotest 5000, V3 Languages: en, ru, ek, sk, sl, cs, hu, bs, hr	8327703
Dräger Alcotest 5000, V4 Languages: en, el, tr, bg, ro, sr, hi, he, ar	8327704
Dräger Alcotest 5000, V5 Languages: en, ja, ko, zh, zh-hk	8327705
Dräger Alcotest 5000, V6 Languages: en, zh-tw, ms, th, vi	8327706
Dräger Alcotest 5000, V7 (without batteries) Languages: en, de, fr, es, nl, it, ca, pt	8327707
Hygienic-Flow-Funnel, A5000/7000, 10 pc., individually hygienically packaged	8327718
Reflector film set (yellow), Alcotest 5000	8327742
Reflector film set (orange), Alcotest 5000	8327743
Alkaline batteries (Mignon, LR6, AA, 1.5V) – 3 batteries required	1335804

Not all products, features, or services are for sale in all countries. Trademarks mentioned herein are the property of its respective owner. Trademarks may be owned by Drägerwerk AG & Co. KGaA (Dräger) or its affiliates in certain countries and not necessarily in the country in which this material is released. Visit www.draeger.com/trademarks for the current status of Dräger's trademarks.

Corporate Headquarters

Drägerwerk AG & Co. KGaA
Moislinger Allee 53–55
23558 Lübeck, Germany
■ www.draeger.com

Region Europe

Dräger Safety AG & Co. KGaA
Revalstraße 1
23560 Lübeck, Germany
☎ +49 451 882 0
☎ +49 451 882 2080
✉ info@draeger.com

Region Asia Pacific

Draeger Singapore Pte. Ltd.
61 Science Park Road
The Galen #04-01
Singapore 117525
☎ +65 6872 9288
☎ +65 6259 0398

Region Middle East, Africa

Dräger Safety AG & Co. KGaA
Branch Office
P.O. Box 505108
Dubai, United Arab Emirates
☎ +971 4 4294 600
☎ +971 4 4294 699
✉ contactuae@draeger.com

Region Central and South America

Dräger Safety do Brasil Ltda.
Al. Pucuruí, 51/61 – Tamboré
06460-100 Barueri, São Paulo
☎ +55 (11) 4689-4900
✉ relacionamento@draeger.com



Locate your Regional Sales
Representative at:
www.draeger.com/contact